Questions

1. Sketch $9x^2 - 4y^2 - 36x + 8y - 4 = 0$ by hand. Include all steps in your solution. Identify the center, vertices and foci of the hyperbola.

2. Prove that for the hyperbola $x^2/a^2 - y^2/b^2 = 1$ if x = c, then $y = \pm b^2/a$. Why is it reasonable to define the *focal width* of such hyperbolas to be $2b^2/a$?

3. The graph of the equation $\frac{(x-h)^2}{a^2} - \frac{(y-k)^2}{b^2} = 0$ is considered to be a degenerate hyperbola. Describe the graph.

4. A comet following a hyperbolic path about the Sun has a perihelion of 120 Gm. When the line from the comet to the Sun is perpendicular to the focal axis of the orbit, the comet is 250 Gm from the Sun. Sketch the trajectory by hand, and determine the values of a, b, and c. What are the coordinates of the center of the Sun if the center of the hyperbolic orbit is (0,0) and the Sun lies on the positive x-axis?

Solutions

1. Sketch $9x^2 - 4y^2 - 36x + 8y - 4 = 0$ by hand. Include all steps in your solution. Identify the center, vertices and foci of the hyperbola.

$$9x^{2} + 4y^{2} - 36 \times + 8y - 4 = 0$$

$$complete square in x and y.$$

$$9[x^{2} + 4y + 4 - 4] - 4[y^{2} + 2y + 1 - 1] = 4$$

$$9[(x-2)^{2} - 4] - 4[(y+1)^{2} - 1] = 4$$

$$9[(x-2)^{2} - 36 - 4(y+1)^{2} + 4 = 4$$

$$9(x-2)^{2} - 36 - 4(y+1)^{2} + 4 = 4$$

$$9(x-2)^{2} - 4(y+1)^{2} = 36$$

$$\frac{(x-2)^{2}}{2^{2}} - \frac{(y+1)^{2}}{3^{2}} = 1.$$

$$hy perbola! Center (2,-1).$$

$$Get box: If y=-1, then (x-2)^{2} = 1$$

$$x = 4, 0.$$

$$So (0,-1) and (4,7) are on the ellipse. This helps us see the hyperbola opens left/right sides.$$

$$Wow c^{2} = 3^{2} - 2^{2} = 5 \Rightarrow c = \sqrt{5}.$$

$$Focus: (\sqrt{5}, -1)$$

$$(4+\sqrt{5}, -1)$$

$$(4+\sqrt{5}, -1)$$

2. Prove that for the hyperbola $x^2/a^2 - y^2/b^2 = 1$ if x = c, then $y = \pm b^2/a$. Why is it reasonable to define the *focal width* of such hyperbolas to be $2b^2/a$?

$$\frac{x^{2}}{a^{2}} - \frac{y^{2}}{b^{2}} = 1$$

$$f'(c, b^{2}(a))$$

$$f(c, b^{2}(a))$$

3. The graph of the equation $\frac{(x-h)^2}{a^2} - \frac{(y-k)^2}{b^2} = 0$ is considered to be a degenerate hyperbola. Describe the graph.

$$\frac{(x-h)^{2}}{a^{2}} - \frac{(y-k)^{2}}{b^{2}} = 0$$

$$\frac{(x-h)^{2}}{a^{2}} = \frac{(y-k)^{2}}{b^{2}}$$

$$\frac{(x-h)^{2}}{a^{2}} = \frac{(y-k)^{2}}{b^{2}}$$

$$\frac{(x-h)^{2}}{a^{2}} = \frac{(y-k)^{2}}{b^{2}}$$

$$\frac{(x-h)^{2}}{a^{2}} = \frac{(y-k)^{2}}{b^{2}}$$

$$y = k \pm \frac{b}{a} (x-h)$$

4. A comet following a hyperbolic path about the Sun has a perihelion of 120 Gm. When the line from the comet to the Sun is perpendicular to the focal axis of the orbit, the comet is 250 Gm from the Sun. Sketch the trajectory by hand, and determine the values of a, b, and c. What are the coordinates of the center of the Sun if the center of the hyperbolic orbit is (0,0) and the Sun lies on the positive x-axis?

$$\begin{array}{c|c} & & & \\ &$$